

EDWARDS & ANGELL, LLP Dike, Bronstein, Roberts & Cushman Intellectual Property Practice Group

P. O. BÓX 9169
BOSTON, MASSACHUSETTS 02209-4280
TELEPHONE (617) 439-4444
FACSIMILE (617) 523-6440
www.cplaw.com

WASHINGTON, D.C. (703) 553-2563

MARLBOROUGH, MA (508) 485-7772

FACSIMILE TRANSMITTAL COVER SHEET

DATE: January 10, 2002

TO:

Examiner M. Wallerson

FAX NO.: 1-703-872-9314

(Name)

United States Patent and Trademark Office

(Company)

FROM:

David Tucker

Phone No.: (617) 517-5508

FAX NO: (617)523-6440

Application No:

09/185,212

No. of pages 29

Group No.:

2622

(including cover sheet)

Filed:

November 3, 1998

NOVEMBER O, 1990

IMAGE PROCESSING DEVICE INCLUDING IMAGE DATA MANAGEMENT

CAPABILITIES (AS AMENDED)

MESSAGE:

PLEASE ACKNOWLEDGE YOUR SAFE RECEIPT THEREOF BY SIGNING AND DATING THIS FACSIMILE WHERE INDICATED BELOW. THANK YOU.

Received:		Date:	
-----------	--	-------	--

Should there be any problem with this transmission, please contact **Kathy Grindrod** at the above.

NOTICE

The message and/or information which accompanies this facsimile cover sheet is intended for the addressee named above only. If you are not the intended recipient, please contact the sender by collect telephone at the number indicated. You will be advised regarding the disposition of what you have received. The misdelivery of the message and/or information which accompanies this facsimile cover sheet is not intended to be and shall not constitute a disclosure of trade secrets, of attorney work product or of an attorney-client communication. No waiver of any privilege is intended. Thank you for your attention to this matter.



Practitioner's Docket No. 70904/48742

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Application No.: Filed: For:		Hiroshi Macda, et al. 09/185,212 November 3, 1998 IMAGE PROCESSING DEV CAPABILITIES (AS AMEN		2622 Wallerson, M. HMAGE DATA MANAGEMENT
	nt Commission ngton, D.C. 202	ner for Patents 231		
		AMENDMENT	TRANSMITTAL	
1.	Transmitted h	crewith is an amendment for th	is application.	
		ST/	TUS	
2.	[]	ll entity. A statement: is attached. was already filed. than a small entity.		
		EXTENSIO	N OF TERM	
NOTE:	"Extension of Time in Patent Cases (Supplement Amendments) If a timely and complete response has been filed after Non-Final Office Action, an extension of time is not required to permit filing and/or entry of an additional amendment after expiration of the shortened statutory period.			
	If a timely respon of a Notice of Ap	nse has been filed after a Final Office peal or filing and/or entry of an addi	Action, an extension of tional amendment ofter	time is required to permit filing and/or entry expiration of the shortened statutory period
-	CI	RTIFICATE OF MAILING/TRAI	ISMISSION (37 C.F.F	R. SECTION 1.8(2))
I hereby	certify that, on the	date shown below, this correspondent	ce is being:	
	M	IAILING		FACSIMILE
[x]	with sufficient covelope addres	the United States Postal Service postage as first class mail in an sed to the Assistant Commissioner hington, D.C. 20231.		nitted by facsimile to the Patent and mark Office (703)
Date:	October 23, 200	1	- (type or print na	Kathryn A. Grindrod me of person certifying)

NOTE:

apply.

3.

unless the timely-filed response placed the application in condition for allowance. Of course, if a Notice of Appeal has been filed within the shortened statutory period, the period has coused to run." Notice of December 10, 1985 (1061 O.G. 34.35)

See 37 CFR. Section 1.645 for extensions of time in interference proceedings, and 37 C.F.R. Section 1.550(c) for extensions of time in reexamination proceedings.

The proceedings herein are for a patent application and the provisions of 37 C.F.R. Section 1.136

(complete (a) or (b), as applicable)

(a)	[]	Applicant petitions for an extension of time under 37 C.F.R. Section 1.136
		(fees: 37 C.F.R. Section 1.17(a)(1)-(4)) for the total number of months checked
		below:

Extension (months) [] one month [] two months [] three months [] four months	Fee for other than small_entity \$ 110.00 \$ 400.00 \$ 920.00 \$ 1,440.00	Fee for small entity \$ 55.00 \$ 200.00 \$ 460.00 \$ 720.00
--	---	---

Fee: \$ _____

If an additional extension of time is required, please consider this a petition therefor.

(check and complete the next item, if applicable)

[]	An extension for months has already been secured. The fee paid therefor of \$ is deducted from the total fee due for the total months of extension now				
	Extension fee due with this request \$				
	OR				

(b) [X] Applicant believes that no extension of term is required. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.

(Amendment Transmittal--page 2 of 4)

AND TOUR OWNER A S.T. A.

FEE FOR CLAIMS

4. The fee for claims (37 C.F.R. Section 1.16(b)-(d)) has been calculated as shown below:

(Col.1)			(Col. 2)	(Col. 3) S	(Col. 3) SMALL ENTITY			OTHER THAN A SMALL ENITTY		
Claims Remaining After Amendment		Highest No. Previously Paid For	Present Extra	Raic	Addit. Fec	OR	Rate	Addit. 1'ee		
Total	*	Minus	本字	7	x \$9 =	\$		x \$18 =	\$	
Indep.	*	Minus	***	<u></u>	x \$42 =	\$		x \$84 =	\$	
[] Firs	t Presenta	tion of Mu	ltiple Depende	nt Claim	+ \$140 =	= \$		+ \$280 =	\$	
	4				Total Addit. Fee	s	OR	Total Addit. Fee	\$	

^{*} If the entry in Col. 1 is less than the entry in Col. 2, write "O" in Col. 3,

IYARNING:

"After final rejection or action (Section 1.113) amendments may be made canceling claims or complying with any requirement of form which has been made." 37 C.F.R. Section 1.116(a) (emphasis added).

(complete (c) or (d), as applicable)

(c) [X] No additional fee for claims is required.

OR

(d) [] Total additional fee for claims required \$ _____.

FEE PAYMENT

5.	[]	Attached is a check in the sum of \$
	[]	Charge Account No the sum of \$
		A duplicate of this transmittal is attached.

(Amendment Transmittal--page 3 of 4)

^{**} If the "Highest No. Previously Paid For" IN THIS SPACE is less than 20, enter "20".

^{***} If the "Highest No. Previously Paid For" IN THIS SPACE is less than 3, enter "3".

The "Highest No. Previously Paid For" (Total or Indep.) is the highest number found in the appropriate box in Col. 1 of a prior amendment or the number of claims originally filed.



NOTE: If there is a fee deficiency and there is no authorization to charge an account, additional fees are necessary to cover the additional time consumed in making up the original deficiency. If the maximum, six-month period has expired before the deficiency is noted and corrected, the application is held abandaned. In those instances where authorization to charge is included, processing delays are encountered in returning the papers to the PTO Finance Branch in order to apply these charges prior to action on the cases. Authorization to charge the deposit account for any fee deficiency should be checked. See the Notice of April 7, 1986, (1065 O.G. 31-33).

6. [X] If any additional extension and/or fee is required, charge Account No. __04_1105.

AND/OR

[X] If any additional fee for claims is required, charge Account No. 04-1105.

Respectfully submitted

By: Dunid d. 7 mears


David A. Tucker Reg. No. 27,840

Dike, Bronstein, Roberts & Cushman Intellectual Property Practice Group Edwards & Angell, LLP P.O. Box 9169 Boston, MA 02209

Tele: (617)-517-5508

180927

(Amendment Transmittal--page 4 of 4)





Attorney Docket No. 48,742 (70904)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S):

Hiroshi Maeda, et al.

EXAMINER: Wallerson, M.

SERIAL NO.:

09/185,212

GROUP:

2622

FILED:

November 3, 1998

FOR:

المستسيرية و

IMAGE PROCESSING DEVICE INCLUDING IMAGE DATA MANAGEMENT

CAPABILITIES (AS AMENDED)

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231 on October 23, 2001.

By: Kathryn A. Grindrod

BOX: NON-FEE AMENDMENT ASSISTANT COMMISSIONER OF PATENTS WASHINGTON, DC 20231

Sir:

AMENDMENT AFTER FINAL REJECTION UNDER 37 CFR 1.116

This is in response to the Official Action currently outstanding with regard to the above-identified case (which Official Action the Examiner has designated as being "FINAL").



11/14/57

JAN-10-2002 THU 04:39 PM EDWARDS & ANGELL

Official FAX NO. 617 439 4170

Hiroshi Macda, et al. USSN: 09/185,212

Page 2

1-10-02 T

It is respectfully requested that the subject application be amended as follows so as to place the same in condition for allowance, or at least in better form for Appeal.

IN THE CLAIMS:

Please amend Claims 1, 3, 4 and 6-17 so as to read as follows:

1. (Thrice Amended) An image processing device which comprises image data input means for inputting image data, image data storage means for storing input image data received from said image data input means, image data confirmation means for confirming characteristics of each input image data, management table means for managing the characteristics of each input image data confirmed by said image data confirmation means as management information of said each input image data with reference to the corresponding each input image data stored in said image data storage means, and image processing means for performing image processing with respect to said each input image data,

wherein:

said management table means manages input request information indicative of a request for transmitting each processed input image data from said image processing means, and input completion information indicative of the completion of an input of said each input image data responsive to said request in connection with the corresponding each input image data stored in said image data storage means.

3. (Amended) The image processing device as set forth in claim 2, wherein said management table means further includes a mode management section for managing a processing mode set by said mode setting means as management information of each input image data with respect to the corresponding each input image data stored in said data storage means.

CO

JAN-10-2002 THU 04:39 PM EDWARDS & ANGEOMIC

Hiroshi Macda, et al. USSN: 09/185,212

Page 3



CO

4. (Twice Amended) The image processing device as set forth in claim 3, wherein said image processing means further includes an image processing management section for performing image processing with respect to said each input image data based on said management information managed by said management table means.

NH

6. (Twice Amended) The image processing device as set forth in claim 4, further comprising image output means for outputting said each input image data processed by said image processing means,

wherein said management table means further includes a management output section for outputting each processed input image data from said image output means according to the management information.

Hiroshi Maeda, et al. USSN: 09/185,212

Page 4

7. (Amended) The image processing device as set forth in claim 6,
wherein said management table means produces at least one table
selected from the group consisting of:

an image input table for managing information relating to each input image data and processing conditions for each input image data;

an image process table for managing the contents of the image processing to be performed with respect to each input image data and information relating to each input image data that has undergone image processing; and

an image output table for managing information relating to the output of each input image data that has undergone image processing.

8. (Amended) The image processing device as set forth in claim 7,

wherein said image input table includes at least one item of information selected from the group consisting of:

document ID information indicating an identification number for identifying each page associated with each input image data;

document side information indicating whether each input image data represents image data from a front side or a back side of a document;

document size information indicating a size of each input image data; scaling factor information indicating a scaling factor when each input image data is scaled up or down;

read image number information indicating how many image data are inputted through said image data input means to form the image data contained on one page;

input request information indicating whether a request for transmitting each input image data has been given to said information processing means; and

input completion information indicating whether each input image data is completely inputted through said image data input means.



Hiroshi Maeda, ct al. USSN: 09/185,212

Page 5

9. (Arnended) The image processing device as set forth in claim 7, wherein said image process table includes at least one item of information selected from the group consisting of:

image ID information indicating an identification number for identifying each page containing each input image data;

process information indicating the contents of processing to be performed to each input image data contained on each page;

process ID information indicating a location in a second image data storage means where processed data of each input image data is stored; and

process completion information indicating whether the image processing with respect to each input image data is completed.

10. (Amended) The image processing device as set forth in claim 7,
wherein said image output table includes at least one item of information selected from the group consisting of:

output image ID information indicating an identification number for identifying each page containing each processed input image data;

sheet side information indicating whether each input image data is to be recorded on a front side or a back side of a sheet;

print size information indicating the size of a sheet on which each input image data is to be recorded;

print number information indicating a number of each input image data to be outputted;

output request information indicating whether each processed input image data is requested by said image output means;

output completion information indicating whether each processed input image data has been outputted as instructed;

CON,

Hiroshi Macda, et al. USSN: 09/185,212

Page 6

memory release information indicating whether clearance of each processed input image data from said second image data storage means is permitted; and

output ID information indicating a location in said second image data storage where a final version of each processed input image data to be outputted is stored.

11. (Amended) The image processing device as set forth in claim 1, wherein each input image data is image data of a document suitable for reading; and

said image data input means is document image reading means for reading a document image.

- 12. (Amended) The image processing means as set forth in claim I,
 wherein each input image data is image data for use in a computer, and
 said image data input means is interface means for receiving data from a
 computer.
- 13. (Amended) The image processing device as set forth in claim 1,
 wherein each input image data is image data for use in a facsimile
 machine, and

said image data input means is facsimile interface means for receiving data from a facsimile machine.

Hiroshi Macda, et al. USSN: 09/185,212

Page 7

14. (Twice Amended) An image processing device, comprising: first image data storage means for storing each image data to be inputted; image processing means for carrying out image processing with respect to each inputted image data;

second image data storage means for storing each processed input image data obtained by performing image processing with respect to said each input image data by said image processing means; and

management table means for managing ipput request information indicative of a request for transmitting each processed input image data from said image processing means, and input completion information indicative of the completion of an input of said each input image data in connection with the corresponding each input image data stored in said first image data storage melus, and for managing processing completion information indicative of the completion of image processing with respect to said each input image data by said image processing means in connection with the corresponding each processed input image data stored in\said second image data storage means.

Hiroshi Macda, et al. USSN: 09/185,212

Page 8

15. (Twice Amended) The image processing device as set forth in Claim 14, comprising:

image output means for outputting each processed input image data from said second image data storing means,

wherein said management table means further manages output request information indicative of a request for outputting the each processed input image data from said image output means, and output completion information indicative of the completion of an output of each processed input image data in connection with the corresponding each processed input image data stored in said second image data storage means.

16. (Amended) The image processing device as set forth in claim 1, further comprising second image data storing means for storing each input image data processed by said image processing means,

wherein said management table means further includes a post image processing data management section for managing each processed input image data stored in said second image data storage means in connection with the corresponding management information.

Chi

Hiroshi Macda, et al. USSN: 09/185,212

Page 9

(ans)

17. (Amended) The image processing device as set forth in claim 1, further comprising:

second image data storage means for storing each processed input image data processed by said image processing means; and

image output means for outputting each processed input image data from the second image data storage means,

wherein:

said management table means manages the output request information indicative of a request for outputting each processed input image data from the image output means, and output completion information indicative of the completion of an output of each processed input image data in connection with the corresponding each processed input image data stored in said second image data storing means.

Hiroshi Macda, et al. USSN: 09/185,212 Page 10

REMARKS

This is in response to the Official Action currently outstanding with respect to the above-identified application (which Official Action the Examiner has designated to be FINAL).

Claims 1-4 and 6-15 were present in this application as of the time of the issuance of the currently outstanding Official Action (which Official Action the Examiner has designated to be FINAL). By the foregoing Amendment After Final Rejection Under 37 CFR 1.116, Applicants propose that Claims 1, 3, 4 and 6-17 be amended so as to more clearly and definitely set forth the invention in such a manner that the distinctions between it and the cited art are apparent. These amendments to the claims of this application, if entered, are believed to place this application in condition for allowance, or at least in better form for Appeal as required by 37 CFR 1.116. Also, a "VERSION SHOWING CHANGES MADE TO THE CLAIMS" is attached as required by the Rules. Accordingly, in the event that the foregoing Amendment is entered, Claims 1-4 and 6-17 as amended above will remain under active prosecution in this case.

More specifically, it is noted that in the currently outstanding Official Action, the Examiner has:

1. Acknowledged Applicants' claim for foreign priority under 35 USC 119(a)-(d), and indicated that the required certified copies of the priority document have been received by the United States Patent and Trademark Office.


Hiroshi Macda, et al. USSN: 09/185,212

Page 11

- 2. Indicated that Applicants' previous arguments have been considered, but are not deemed to be persuasive
- 3. Rejected Claim 17 under 35 USC 112, second paragraph, on the grounds that the phrase "the output request" lacks sufficient antecedent basis.
- 4. Rejected Claims 1-4, 6-10, 12 and 14-17 under 35 USC 103(a) as being unpatentable over the Szuki et al reference (U.S. Patent No. 5,923,013) in view of the Hamanaka et al reference (U.S. Patent No. 5,801,837).
- 5. Rejected Claim 11 as being unpatentable under 35 USC 103(a) over the Suzuki et al reference in view the Hamanaka et al reference, and further in view of the Morikawa reference (U.S. Patent No. 5,960,247).
- 6. Rejected Claim 13 as being unpatentable under 35 USC 103(a) over the Suzuki et al reference in view the Hamanaka et al reference, and further in view of the Kusumoto reference (U.S. Patent No. 6,088,135).

Further comment in these Remarks regarding item 1 above is not considered to be necessary.

As was the case in Applicants' response to the previous Official Action in this case, the dependent claims of this application, namely Claims 2-4, 6-13 and 15-17, are believed to be patentable at least by virtue of their respective dependency upon allowable independent claims 1 or 14. Accordingly, additional detailed discussion of the patentability of these dependent claims is not believed to be required in these Remarks.



Page 12

With respect to the Examiner's outstanding rejection of Claim 17 under 35 USC 112, second paragraph, on the basis of an alleged lack of sufficient antecedent basis for a term used in that claim, Applicants by the foregoing Amendment have amended Claim 17 in a manner believed to remove the basis of the Examiner's rejection. Specifically, the Examiner's basis of rejection related to the use of the phrase "the output request". Applicants now propose that the word "the" be deleted from this phrase in Claim 17 so as to remove any implication that the output request being referred to is in any way to be understood as being an output request previously identified and/or defined in the claims of this application. It is believed that this amendment removes the basis for the Examiner's rejection of Claim 17 under 35 USC 112, second paragraph. A decision so holding in response to this communication is respectfully requested.

With respect to independent Claims 1 and 14 and the Examiner's substantive rejections of this application in the currently outstanding FINAL Official Action, Applicants respectfully submit that the Susuki et al reference taken either alone, or in combination with the Hamanaka et al reference, fails to disclose, teach or suggest the following features of the present invention as now proposed to be specifically claimed:

(i) input completion information showing completion of an input of each input image data, and input request information showing a request for transmitting each input image data from the image processing means are managed in connection with each corresponding input image data stored in the image data storage means (as specifically disclosed in the present specification at page 40, lines 18-20 and at page 42, lines 12-25 and now specifically claimed); and

Hiroshi Macda, et al. USSN: 09/185,212

Page 13

(ii) output completion information showing completion of an output of each processed input image data which was processed by the image processing means, and output request information showing a request for outputting each processed input image data from the image output means are managed in connection with each corresponding input image data stored in the image data storing means (as specifically disclosed in the present specification at Page 40, lines 18-20, page 45, lines 2-7 and now specifically claimed).

More particularly, it will be understood that with the above feature (i), if the input of images is interrupted by trouble, for example, it is possible to perform the instructed image processing with respect to image data of images which previous to the trouble had been completely inputted; to recognize which image data has not been inputted; and to give an instruction to restart the input and image processing of remaining images. Hence, in the present invention, by managing input request information together with input completion information, the claimed device provides more accurate control measure capabilities than those disclosed, taught or suggested by the cited prior art (see, page 7, line 24 to page 8, line 7 of the present specification).

Also, it will be understood that with the above feature (ii), even in the case of trouble such as a jam in the image output section, a recovery in the output process can be made accurately while at he same time recalling how far the image processing has advanced. Hence, in the present invention, by managing output request information together with output completion information, the claimed device provides more accurate control measure capabilities than those disclosed, taught or suggested by the cited prior art (see, page 5, line 19 to page 6, line 8 of the present specification).




Hiroshi Macda, et al. USSN: 09/185,212

Page 14

Applicants acknowledge that a similar line of argument was presented in the previous Amendment in this application, and that the Examiner rejected that argument in the presently outstanding FINAL Official Action. It is believed, however, that the currently outstanding rejection of the claims of the present application is the result of Applicants' prior failure to phrase the claims of this application with sufficient and necessary particularity. It is unclear whether this is the result of a problem in the translation of this case from the original Japanese into English, or the result of an assumption on the part of the Applicants regarding what would be clear to a person of ordinary skill in the art from the originally filed specification and claims. In particular, the present specification at page 40, lines 18-20, clearly indicates that each inputted image data is to be separately managed. In addition, originally filed Claim 8, subpart 5, and Claim 9, subpart 2, indicate specifically that the present invention is concerned with individual images as opposed to the content of each page of images being processed as a unit. Further, other portions of the originally filed claims clearly indicate that the Applicants are concerned with the input, storage, processing and output of "each input image data".

In view of the foregoing, Applicants now are proposing amendments to the claims of the present application that distinctly clarify the scope of the invention being claimed. No new matter is believed to be introduced into this application by the amendments to the claims proposed above. Similarly, it is believed that in view of the wording of the original claims (particularly, Claims 8 and 9), no new issue requiring further consideration and/or search is raised by the foregoing proposed Amendment.


Consequently, it is respectfully submitted that upon reconsideration the Examiner will agree with the Applicants that the Claims of this application as they are proposed to be amended hereinabove are clearly not unpatentable over the cited references under the terms of 35 USC 103(a). Both of the cited references are concerned with the processing of input data on a complete page basis, not on the basis of input individual images.



Thus it will be seen that the Hamanaka et al reference speaks in terms of page-by-page input completion at column 9, lines 23-45, referred to by the Examiner. The importance of this in the Hamanaka et al reference is two-fold. Hamanaka et al. stores input data in a compressed page-by-page format, and Hamanaka et al. provides for the verification of the correctness of input of data from each page by printing out a copy of each page "serially" upon the completion of its input. There is no disclosure or suggestion in the Hamanaka et al disclosure of which Applicants are aware that contemplates or would otherwise lead one skilled in the art to create a system such as the presently claimed invention wherein data input can be resumed from the point at which it left off (i.e., with the next succeeding incompletely inputted image on any given page) after encountering trouble such as a jam.

Similarly, the Suzuki et al. reference is quite clear to the effect that it deals with a system for managing print jobs on a job or a page basis. Further, a close reading of the Suzuki et al reference leads to the definite conclusion that when Suzuki et al speaks in terms of job basis printing, the reference is intended to be to the printing of multiple pages, not to the handling of individual images among many images on any given page. Therefore, there also is no disclosure or suggestion in the Suzuki et al disclosure of which Applicants are aware that contemplates or would otherwise lead one skilled in the art to create a system such as the presently claimed invention wherein data input can be resumed from the point at which it left off (i.e., with the next succeeding incompletely inputted image on any given page) after encountering trouble such as a jam.

Accordingly, it is respectfully submitted that the present invention as now proposed to be claimed is patentably distinct from the cited references, whether those references are considered alone or in combination with one another. A decision so holding in response to this communication is respectfully requested.



For each and all of the foregoing reasons, it is believed that the claims of this application as they will stand upon the entry of the foregoing Amendment are in condition for allowance. Reconsideration of this application and the allowance of Claims 1-4 and 6-17 in response to this communication, therefore, are respectfully requested.

Applicants believe that additional fees are not required in connection with the consideration of this response to the currently outstanding Official Action. However, if for any reason a fee is required, a fee paid is inadequate or credit is owed for any excess fee paid, you are hereby authorized and requested to charge and/or credit Deposit Account No. **04-1105**, as necessary, for the correct payment of all fees which may be due in connection with the filing and consideration of this communication.

Respectfully submitted,

Date: October 23, 2001

By: <u>Ющина А. Лимбы</u> David A. Tucker Reg. No. 27,840

Attorney for Applicant(s)

Dike, Bronstein, Roberts & Cushman Intellectual Property Practice Group EDWARDS & ANGELL, LLP P.O. Box 9169 101 Federal Street Boston, MA 02109 (617) 523-3400 177460 Hiroshi Macda, et al. USSN: 09/185,212 Page 17

VERSION SHOWING CHANGES MADE TO AMENDED CLAIMS

Additions shown underlined; Deletions shown in brackets.

Please amend Claims 1, 3, 4 and 6-17 as follows:

1. (Thrice Amended) An image processing device which comprises image data input means for inputting image data, image data storage means for storing [the] input image data received from said image data input means, image data confirmation means for confirming characteristics of [the] cach input image data, management table means for managing the characteristics of each input image data confirmed by said image data confirmation means as management information of said cach input image data [,] with reference to the corresponding each input image data storage means, and image processing means for performing image processing with respect to said each input image data,

wherein:

said management table means manages input request information indicative of a request for transmitting [the] each processed input image data from said image processing means, and input completion information indicative of the completion of an input of [the] said each input image data responsive to said request [,] in connection with the corresponding each input image data stored in said image data storage means.



Hiroshi Macda, et al. USSN: 09/185,212

Page 18

- 3. (Amended) The image processing device as set forth in claim 2, wherein said management table means further includes a mode management section for managing a processing mode set by said mode setting means as management information of each input image data with respect to the corresponding each input image data stored in said data storage means.
- 4. (Twice Amended) The image processing device as set forth in claim 3, wherein said image processing means further includes an image processing management section for performing [the] image processing with respect to said cach input image data based on said management information managed by said management table means.
- 6. (Twice Amended) The image processing device as set forth in claim 4, further comprising image output means for outputting [the] said each input image data processed by said image processing means,

wherein said management table means further includes a management output section for outputting [, the] <u>each processed input</u> image data from said image output means [,] according to the management information.

OALAA DH EDUADDO A ANA

Hiroshi Macda, et al. USSN: 09/185,212

Page 19

7. (Amended) The image processing device as set forth in claim 6, wherein said management table means produces at least one table selected from the group consisting of:

an image input table for managing information relating to <u>each input</u> image data and processing conditions for each input image data;

an image process table for managing [, for each image data] the contents of the image processing to be performed with respect to [the] each input image data and information relating to [the] each input image data that has undergone image processing; and

an image output table for managing information relating to the output of each <u>input</u> image data that has undergone image processing.

8. (Amended) The image processing device as set forth in claim 7,
wherein said image input table includes at least one item of information selected from the group consisting of:

document ID information indicating an identification number for identifying each page [of] associated with each input[ted] image data;

document side information indicating whether [the] each input image data represents [an] image data from a front side or a back side of a document;

document size information indicating a size of [the] each input image data;

scaling factor information indicating a scaling factor when [the] <u>each</u> input image data is scaled up or down;

read image number information indicating how many image data are inputted through said image data input means to form the image data [of] contained on one page;

input request information indicating whether a request for transmitting each input image data has been given to said information processing means; and input completion information indicating whether [the] each input image data is completely inputted through said image data input means.



Hiroshi Macda, et al. USSN: 09/185,212

Page 20

9. (Amended) The image processing device as set forth in claim 7, wherein said image process table includes at least one item of information selected from the group consisting of:

image ID information indicating an identification number for identifying each page [of the inputted] containing each input image data;

process information indicating the contents of processing to be performed to [the] cach input image data contained on each page;

process ID information indicating a location in a second image data storage means where processed [image] data of each input image data is stored; and process completion information indicating whether the image processing with respect to [the] each input image data is completed.

10. (Amended) The image processing device as set forth in claim 7,
wherein said image output table includes at least one item of information selected from the group consisting of:

output image ID information indicating an identification number for identifying each page of processed image data] containing each processed input image data;

sheet side information indicating whether [the] <u>each input</u> image data is to be recorded on a front side or a back side of a sheet;

print size information indicating the size of a sheet on which [the] <u>each</u> <u>input</u> image data is to be recorded;

print number information indicating a number of each input image data to be outputted;

output request information indicating whether [the] each processed input image data is requested by said image output means;

output completion information indicating whether [the] <u>each</u> processed <u>input</u> image data has been outputted as instructed;

DOOD THE OALAE DM EDUADDE & AM

Hiroshi Maeda, et al. USSN: 09/185,212

Page 21

memory release information indicating whether clearance of [the] <u>each</u> processed <u>input</u> image data from said second image data storage means is permitted; and


output ID information indicating a location in said second image data storage where a final version of each processed input image data to be outputted is stored.

11. (Amended) The image processing device as set forth in claim 1,
wherein [the] each input image data is image data of a document [image]
suitable for reading; and

said image data input means is document image reading means for reading [the] a document image.

- 12. (Amended) The image processing means as set forth in claim 1,
 wherein [the] <u>each input</u> image data is image data for use in a computer,
 and
 said image data input means is interface means for receiving data from a
 computer.
- 13. (Amended) The image processing device as set forth in claim 1, wherein [the] each input image data is image data for use in a facsimile machine, and

said image data input means is facsimile interface means for receiving data from a facsimile machine.



Hiroshi Macda, et al. USSN: 09/185,212 Page 22

14. (Twice Amended) An image processing device, comprising:

first image data storage means for storing [first] cach image data to be inputted;

image processing means for carrying out image processing with respect to [the
first] each inputted image data;

second image data storage means for storing [second] <u>each processed input</u> image data obtained by performing image processing with respect to said [first] <u>each input</u> image data by said image processing means; and

management table means for managing input request information indicative of a request for transmitting [the first] <u>each processed input</u> image data from said image processing means, and input completion information indicative of the completion of an input of said [first] <u>each input</u> image data in connection with the corresponding [first] <u>each input</u> image data storage means, and for managing processing completion information indicative of the completion of image processing with respect to said [first] <u>each input</u> image data by said image processing means [,] in connection with the corresponding [second] <u>each processed input</u> image data stored in said second image data storage means.



7 420 4170

Hiroshi Macda, et al. USSN: 09/185,212 Page 23

1. 3 3 5 × 4 × 5

15. (Twice Amended) The image processing device as set forth in Claim 14, comprising:

image output means for outputting [the] <u>each processed input</u> image data from said second image data storing means,

wherein said management table means further manages output request information indicative of a request for outputting the [second] each processed input image data from said image output means, and output completion information indicative of the completion of an output of [said second] each processed input image data [,] in connection with the corresponding second] each processed input image data stored in said second image data storage means.

16. (Amended) The image processing device as set forth in claim 1, further comprising second image data storing means for storing [the] each input image data processed by said image processing means,

wherein said management table means further includes a post image processing data management section for managing each <u>processed input</u> image data stored in said second image data storage means in connection with the corresponding management information.



Hiroshi Maeda, et al. USSN: 09/185,212 Page 24

17. (Amended) The image processing device as set forth in claim 1, further comprising;

second image data storage means for storing [the] each processed input image data processed by said image processing means; and

image output means for outputting [the] each processed input image data from the second image data storage means,

wherein:

said management table means manages the output request information indicative of a request for outputting [the] each processed input image data from the image output means, and output completion information indicative of the completion of an output of [the] each processed input image data [,] in connection with the corresponding each processed input image data stored in said second image data storing means.